Volume 3, Issue 11
November I 2025

Agri Roots
e- Magazine

www.agrirootsmagazine.in

ISSN: 2583-9071

Use of Botanical Pesticides in Pest Control

ARTICLE ID: 0276

Akanksha Kumari

Student, School of Agriculture & Environmental Sciences, Shobhit Deemed University, Meerut (U.P.)

Botanical pesticides are naturally occurring, plant-derived substances used to control pests. They are considered safer, eco-friendly, and biodegradable alternatives to synthetic chemical pesticides. This article presents an expanded discussion on the importance, types, mode of action, examples, advantages, limitations, and future prospects of botanical pesticides.

1. Introduction

Pesticides have been widely used in agriculture to manage pests, but the overuse of chemical pesticides has led to environmental pollution, pest resistance, and health hazards. Botanical pesticides offer a sustainable alternative. Their historical use dates back centuries when farmers relied on plant extracts like neem, derris, and tobacco for pest control. Today, renewed interest in these products aligns with organic farming practices.

2. Definition

Botanical pesticides are substances extracted from plants (leaves, seeds, roots, stems) that possess insecticidal, fungicidal, nematicidal, or repellent properties.

They may be used directly as crude extracts or in refined formulations.

3. Importance of Botanical Pesticides

- Environmentally friendly and biodegradable
- Low toxicity to non-target organisms
- Reduced chances of pest resistance
- Promote organic farming and sustainable agriculture
- Often locally available and cost-effective
- Compatible with beneficial insects such as pollinators

4. Types of Botanical Pesticides

a) Neem-based products (*Azadirachta indica*)

b) Pyrethrum (*Chrysanthemum cinerariaefolium*)

c) Rotenone (*Derris* spp.)

d) Nicotine (*Nicotiana tabacum*)

e) Essential oils (lemongrass, clove, eucalyptus)

f) Garlic and chili extracts (repellents)

g) Custard apple seed extracts (acetogenins with insecticidal effects)

5. Detailed Examples of Botanical Pesticides

a) Neem

- Source: Seeds and leaves of *Azadirachta indica*
- Active ingredients: Azadirachtin, nimbin
- Mode of action: Antifeedant, insect growth regulator, repellent, oviposition deterrent
- Uses: Effective against aphids, whiteflies, beetles, leaf miners, and caterpillars

b) Pyrethrum

- Derived from dried flowers of *Chrysanthemum cinerariaefolium*
- Contains pyrethrins that attack the nervous system of insects
- Rapid knockdown effect on flies, mosquitoes, and stored-grain pests
- Low mammalian toxicity, making it safe for humans

c) Rotenone

- Extracted from roots of *Derris* spp. and *Lonchocarpus* spp.
- Effective against beetles, caterpillars, and aphids
- Biodegradable with short residual effect
- Used in organic farming for soil-dwelling pests

d) Nicotine

- Obtained from *Nicotiana tabacum* (tobacco)
- Acts as a contact and stomach poison
- Highly toxic to insects but less persistent in the environment
- Historically used but declining due to mammalian toxicity

e) Essential Oils

- Oils from plants such as lemongrass, clove, eucalyptus, and citronella act as repellents
- Used in stored grain pest management and as household repellents
- Work by interfering with insect nervous systems and respiration

6. Mode of Action of Botanical Pesticides

Antifeedant: Reduces feeding of insects

Repellent: Keeps insects away from crops

Insect Growth Regulator: Affects molting and reproduction

Contact Poison: Kills insects on contact

Respiratory Inhibitor: Blocks oxygen uptake in pests (e.g., rotenone)

7. Advantages of Botanical Pesticides

- Eco-friendly and biodegradable
- Safe for beneficial insects and humans
- Can be prepared locally by farmers
- Integrates well with other pest management strategies
- Lower risk of residue accumulation in food products
- Lower production cost in developing countries

8. Limitations of Botanical Pesticides

- Short shelf life
- Need for frequent application
- Sometimes less effective than synthetic pesticides
- Variability in active ingredient concentration due to plant source differences
- Limited availability of commercial formulations in some regions

9. Integrated Pest Management (IPM) and Botanical Pesticides

Botanical pesticides are an important component of Integrated Pest Management (IPM) programs. They can be combined with cultural, mechanical, and biological control methods to achieve effective pest control. For example, Neem Seed Kernel Extract (NSKE) is widely used in the IPM of rice, cotton, and vegetable crops.

10. Future Prospects

- Development of new formulations with improved efficacy and stability
- Increased adoption in organic farming systems
- Greater research into unexplored plant species
- Standardization and commercialization of traditional plant-based pest remedies
- Use of nanotechnology to enhance delivery of botanical active ingredients

11. Conclusion

Botanical pesticides provide a sustainable and eco-friendly solution for pest management. With proper research, formulation, and integration into IPM programs, they can replace or reduce the use of hazardous chemical pesticides. Their role in organic farming and residue-free food production is vital for the future of sustainable agriculture.

References

1. *Copping, L. G. (2009).* The Manual of Biocontrol Agents. *British Crop Production Council.*
2. *Isman, M. B. (2006).* Botanical Insecticides, Deterrents, and Repellents in Modern Agriculture and an Increasingly Regulated World. *Annual Review of Entomology.*
3. *Jacobson, M. (1989).* Focus on Phytochemical Pesticides. *CRC Press.*
4. *Prakash, A., & Rao, J. (1997).* Botanical Pesticides in Agriculture. *CRC Press.*
5. *Stoll, G. (2000).* Natural Crop Protection in the Tropics. *Margraf Publishers.*