Volume 4, Issue 11
November I 2026

Agri Roots
e- Magazine

www.agrirootsmagazine.in

ISSN: 2583-9071

Landscaping for Biodiversity: Designing Gardens for Pollinators and Birds

ARTICLE ID: 0442

Runjhun Kumari

School of Agriculture and Environmental Science, Shobhit University, Meerut, Uttar Pradesh, India.

Biodiversity refers to the variety of living organisms, including plants, animals, fungi and microorganisms, as well as the ecological relationships among them. Pollinators such as bees, butterflies, moths, beetles and certain birds help flowering plants reproduce. Birds contribute to ecosystems through seed dispersal, insect consumption and their participation in food webs. Despite their ecological importance, these organisms face several threats, including habitat fragmentation, loss of native vegetation, pollution, pesticide exposure, climate change and the reduction of natural nesting areas.



Traditional landscaping often emphasizes neatly maintained lawns, a limited range of ornamental plants and frequent chemical treatments. Although such landscapes may look attractive, they can provide limited food and shelter for wildlife. Biodiversity-friendly landscaping, in contrast, designs outdoor spaces as small but connected habitats. A home garden, school campus, farm boundary or public park can support wildlife when it contains suitable plants, varied vegetation layers, safe water sources and areas with minimal disturbance.

The objective is not to attract every species to every garden. Rather, it is to provide locally suitable resources that help native wildlife survive while maintaining a safe, practical and attractive landscape.

1. Importance of Biodiversity-Friendly Landscaping

1.1 Supporting Pollinators

Flowering plants provide nectar and pollen to bees, butterflies and other pollinating insects. A variety of flower shapes, sizes and colours can support different pollinator groups. Selecting plants that flower during different seasons helps provide food over a longer period instead of creating only a short flowering peak.

1.2 Providing Food and Shelter for Birds

Birds require suitable food, water, resting places and nesting sites. Native trees and shrubs may provide

fruits, seeds, nectar, insects and protective cover. Dense shrubs can shelter small birds, while trees with suitable branching structures may provide perching and nesting opportunities. Plant selection should reflect the needs of locally occurring bird species.

1.3 Conserving Native Species

Native plants have evolved under local ecological conditions and often support important relationships with native insects and birds. Using locally appropriate native species can strengthen local food webs and reduce the risk of introducing invasive plants. However, a plant being native does not automatically make it suitable for every location; regional ecological guidance is important.

1.4 Improving Ecosystem Services

Biodiversity-friendly landscapes can support pollination, natural pest regulation, seed dispersal, soil health and nutrient cycling. Trees and shrubs provide shade, intercept rainfall and may reduce the intensity of surface runoff. Vegetated areas can also help moderate local temperatures and improve the overall quality of outdoor spaces.

1.5 Making Better Use of Urban and Small Spaces

Even small balconies, courtyards, school gardens and roadside planting strips can provide wildlife resources when carefully planned. Containers with flowering plants, hedges, small trees and patches of leaf litter can act as stepping stones between larger green spaces. Their contribution to biodiversity increases when neighbouring gardens also provide suitable habitats.

1.6 Promoting Environmental Awareness

Gardens designed for pollinators and birds provide opportunities for nature observation, environmental education and community participation. Students and residents can record flowering periods, identify common insects and birds, and understand how everyday landscaping decisions influence biodiversity.

2. Key Elements of a Biodiversity-Friendly Garden

2.1 Native and Locally Suitable Plants

Select plants suited to the local climate, rainfall, soil conditions and available space. Include native flowering herbs, grasses, shrubs, climbers and trees wherever practical. Avoid plants known to be invasive in the region. A diverse mixture of plant species generally provides more ecological value than a large planting of a single ornamental species.

2.2 Flowers Across the Seasons

Plan for overlapping flowering periods so that nectar and pollen remain available through much of the year. Include early-, mid- and late-season flowering plants wherever the local climate permits. Different flower forms can support different pollinator groups.

Avoid assuming that every double-flowered ornamental variety provides abundant nectar or accessible pollen. Flower structure and breeding characteristics can influence the availability of these resources.

2.3 Vegetation in Multiple Layers

A biodiversity-friendly garden may include ground-cover plants, herbs, grasses, shrubs, small trees and larger trees. These vegetation layers create different habitats and ecological niches for insects and birds.

Some sections can be managed less intensively to provide shelter and nesting opportunities, while paths, entrances and frequently used areas should remain clear and safe.

2.4 Water and Moisture Features

A shallow birdbath or small water dish can provide drinking and bathing opportunities for birds. It should be placed in a location where birds can observe approaching danger and nearby shrubs provide some protective cover without creating convenient hiding places for predators.

Adding stones or gently sloping edges can help insects access water safely. Water containers should be cleaned regularly, and the water should be changed frequently to reduce mosquito breeding. In water-scarce regions, water features should be designed and maintained carefully to avoid unnecessary wastage.

2.5 Nesting and Refuge Areas

Shrubs, mature trees, climbers and suitable grasses provide protective cover and nesting materials. Healthy existing trees should be retained wherever safety permits. Small undisturbed patches of leaf litter and bare soil may support ground-nesting bees and other beneficial organisms.

Artificial nest boxes should only be installed when they are appropriate for local bird species and can be maintained safely. Active nests should never be disturbed.

2.6 Reduced Chemical Use

Broad-spectrum insecticides can harm pollinators and other non-target organisms. Preventive practices, regular monitoring, physical removal of pests and other integrated pest management methods should be preferred wherever possible.

If pesticide application is genuinely necessary, the product must be selected and used according to its label instructions and local regulations. Applications should avoid flowering plants when pollinators are active, and qualified advice should be obtained when required. Products should not be assumed harmless simply because they are described as natural or organic.

3. Designing and Managing the Landscape

3.1 Site Assessment and Planning

Before planting, observe sunlight, shade, drainage, soil texture, existing vegetation, water availability and the movement of people through the site. Valuable existing trees and shrubs should be identified before deciding what to remove.

A simple site plan can be prepared to mark sunny and shaded areas, pathways, seating spaces, water points and potential planting zones. This helps ensure that plants and habitat features are placed appropriately.

3.2 Plant Selection and Arrangement

Choose a balanced combination of flowering plants, seed-producing species, fruiting shrubs and trees appropriate to the location. Grouping several plants of the same species can make flowers easier for pollinators to locate, while maintaining diversity across the entire garden.

Taller plants should be positioned so that they do not unnecessarily block sunlight from smaller species or interfere with buildings, overhead wires and other infrastructure.

3.3 Soil Health and Mulching

Healthy soil supports vigorous plant growth and reduces unnecessary maintenance. Compost prepared from suitable organic materials can be used where appropriate. Fertilizers should be applied only when required, based on plant needs and soil conditions.

A suitable layer of organic mulch can help conserve moisture and suppress weeds. However, mulch should be kept away from tree trunks, and some patches of bare, undisturbed soil should be retained for species that require them for nesting or shelter.

3.4 Water-Efficient Gardening

Plants should be selected according to local rainfall, soil conditions and irrigation availability. Newly planted vegetation requires adequate watering during establishment, after which irrigation can be adjusted according to species requirements and weather conditions.

Drip irrigation, watering during cooler parts of the day and collecting rainwater where permitted can improve water-use efficiency. Waterlogging should be avoided, particularly for species that require well-drained soil.

3.5 Seasonal Maintenance

Pruning should be selective, and all seed heads, dry stems and fallen leaves should not be removed at once. Some insects use hollow or pithy stems for shelter, while birds may feed on seeds.

Public pathways and safety-critical areas should be maintained properly, but selected habitat patches can be retained. Before pruning, inspect plants for active nests and follow applicable wildlife protection regulations.

3.6 Monitoring Wildlife and Plant Health

Regular observation helps evaluate the ecological performance of a biodiversity-friendly garden. Records can include flowering periods, bird visits, pollinator observations and plant survival.

Simple monthly observations can reveal which species are useful and which plants require replacement or additional care. Wild birds, nests and unfamiliar insects should not be handled. Reliable field guides or biodiversity experts can help when identification is uncertain.

4. Suggested Plants and Their Roles

4.1 Flowering Herbs and Ground Covers

Locally suitable native herbs and ground-cover plants can provide nectar, pollen and shelter for small insects. In India, potential planting options may include regionally suitable species of basil, marigold, cosmos and other flowering plants.

However, introduced ornamental species should be checked for ecological suitability and invasive potential before planting. A plant's contribution depends on its flower structure, flowering season, location and the wildlife present.

4.2 Shrubs and Hedges

Native shrubs can provide berries, seeds, flowers, nesting cover and protection from wind. Mixed hedges generally offer a wider range of resources than single-species hedges.

Thorny species may be useful for protective cover, but they should be planted in locations where they do not create hazards for children, visitors or maintenance workers.

4.3 Trees

Suitable native trees provide shade, nesting sites, fruits, seeds and habitats for insects that serve as food for birds. Tree selection should consider mature size, root spread, water requirements, local climate and distance from buildings or utilities.

Protecting existing mature trees is often more beneficial to biodiversity than replacing them with

newly planted saplings because established trees already provide developed habitat structures.

4.4 Grasses and Seed-Bearing Plants

Native grasses and seed-bearing plants can provide food for birds, cover for small animals and habitat structure for insects. Selected seed heads can be retained through part of the season wherever safety and landscape requirements permit.

Aggressive grass species that may spread beyond the intended planting area should be avoided.

5. Economic, Social and Environmental Benefits

5.1 Economic Benefits

Biodiversity-friendly landscaping can offer several potential economic advantages:

- Reduced dependence on frequent lawn mowing and certain chemical inputs when the garden is designed according to local conditions.
- Potential irrigation savings through suitable plant selection and mulching.
- Opportunities for local nurseries to supply native plants.
- Employment opportunities in ecological landscaping, gardening and habitat management.
- Long-term benefits from shade, improved outdoor comfort and attractive green spaces.

The actual savings depend on the initial design, plant selection, maintenance practices and local resource availability.

5.2 Social Benefits

- Opportunities for environmental education and citizen-science activities.
- Improved access to nature and pleasant spaces for relaxation.
- Community participation through school gardens, housing societies and public planting projects.
- Greater awareness of local birds, insects and native plant diversity.
- Opportunities for students to develop practical skills in plant identification and biodiversity monitoring.

5.3 Environmental Benefits

- Food and shelter for pollinators and birds.
- Support for pollination, seed dispersal and food-web relationships.
- Improved soil cover and potential reduction of erosion and surface runoff.
- Contribution to urban cooling and habitat connectivity when gardens form part of a wider network of green spaces.
- Support for local ecological processes and urban biodiversity.

6. Challenges and Precautions

Biodiversity-friendly landscaping also faces several practical challenges. Native plants may be difficult to obtain in some areas, and people may initially prefer conventional lawns or highly uniform garden designs. Some wildlife-friendly features require seasonal maintenance, while water features need regular cleaning.

Poorly selected plants may become invasive, and dense vegetation placed in unsuitable locations can obstruct visibility or create safety concerns. Gardens alone cannot replace forests, wetlands, grasslands or other natural habitats. Their ecological value is greatest when they complement the protection and restoration of larger ecosystems.

The following precautions should be considered:

- Avoid feeding birds unsuitable foods.
- Do not use glue traps or other indiscriminate wildlife-trapping methods.
- Avoid disturbing active nests and breeding sites.
- Do not relocate wildlife without expert guidance and appropriate authorization.
- Select plants carefully to avoid introducing invasive species.
- Maintain water features regularly to prevent mosquito breeding.
- Consider safety, accessibility and visibility while designing dense vegetation areas.

Insect and bird populations vary with season and location. Therefore, a garden should be assessed over time rather than judged through a single observation.

7. Future Prospects

Biodiversity-focused landscaping can become an important component of sustainable campus planning, urban development, farm boundaries and community green-space programmes. Local nurseries, horticulture departments, universities, biodiversity boards and conservation groups can help identify appropriate plants and share practical guidance.

Schools and colleges can develop demonstration gardens and monitor seasonal changes in pollinator and bird activity. Future work should emphasize region-specific plant lists, long-term biodiversity monitoring, climate-adapted native species, water-efficient garden design and public awareness.

Digital mapping and citizen-science platforms may help communities document biodiversity and identify gaps in local habitat networks. Landscape designers should collaborate with ecologists and local residents to ensure that gardens meet both ecological and practical requirements.

Conclusion

Landscaping for biodiversity is a practical way to make gardens, campuses, parks and other green spaces more supportive of pollinators and birds. Native and locally suitable plants, flowers across seasons, layered vegetation, safe water sources, nesting cover and reduced pesticide use can improve the ecological value of a landscape.

These gardens can also support environmental education, outdoor comfort and community participation. Success depends on appropriate plant selection, regular but wildlife-sensitive maintenance and awareness of local ecological conditions. Although gardens cannot replace natural habitats, a connected network of biodiversity-friendly spaces can contribute to healthier and more resilient landscapes.

References

1. Food and Agriculture Organization of the United Nations (FAO). Resources on biodiversity and sustainable land management.
2. United Nations Environment Programme (UNEP). Resources on biodiversity, ecosystem restoration and nature in cities.
3. United States Environmental Protection Agency (EPA). Resources on pollinator protection and pesticide risk reduction.